

Work Order ID 150329***150329***

Page 1

Wednesday, August 24, 2016 11:42:15 AM

Item ID: D5134-042

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Damper Support Assembly, RH

Start Date: 8/12/2016 Start Qty: 400 ***4***

Cust Item ID:

Required Date: 8/24/2016 Req'd Qty: 400 ***4***

Customer:

Reference:

Approvals: Process Plan: **DAS 21 9-89** Date: **AUG 26 2016**

Tooling:

Date:

Run Start ***NR1***

QC: Date: SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D5134	B

100

0.00

100

Bandsaw

Memo

0.00

Jeaspa Bandsaw

CUT BLANK TO 5.125" LONG

DAS 33 9-89 16/09/14

110

0.11

110

HAAS 1

Memo

0.57

HAAS CNC vertical machine #1

Mill as per Dwg and folio FB342

DWG REV: BFOLIO REV: AA

DEBURR

DAS 33 9-89**16/09/14****PTO****UCL →**

DQA:

Date: JAN 3 2017

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed:

Date: NOV 18 2016Work Order update only ☐

Work Order: <u>150329</u>		DISPOSITION		AGAINST DEPARTMENT/PROCESS					
Part No. <u>5134-042</u>		Rework ☐		Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐		
NCR No. <u>16-6131</u>		Scrap ☒		Machining ☒	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐		
		Use-as-is ☒		Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐		
		Suspected Unapproved ☐		Large Fab ☐	Composite ☐	Supplier ☐			
Date: <u>16/09/18</u>		Step #: <u>110</u>		QTY Effective: <u>2</u>			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition			DAS 9 9-89 <u>1609-18</u>		
Dimension .117 and .177 are under tolerance RC → Blank Lifted off the jig while Machining				Destroy and replace M134701 Modified process of Machining			Completed By		
							DAS 33 9-89 <u>16/09/19</u>		
							Lead hand / Supervisor Approval Verification		
							DAS 14 9-89 <u>16/09/19</u>		
							QC / QA Coordinator Approval		
							DAS 9 9-89 <u>1609-19</u>		
Root Cause				FAULT CATEGORY					
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☒	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☒				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☒				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☒	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Work Order ID 150329

Wednesday, August 24, 2016 11:42:15 AM

150329

Page 2

Item ID: D5134-042

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Damper Support Assembly, RH

Start Date: 8/12/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 8/24/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Memo

0.01

Quality Control

33
9-89

16/09/19

130

QC8- Inspect parts - second check

0.00

130

QC

Memo

0.01

Quality Control

DAS
49
9-89

16/09/21

135

Chemical Conversion Coat per QSI005 4.1

0.00

135

HandFinish

Memo

0.13

Hand Finishing

X8R4

2016/09/21
BEB.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Wednesday, August 24, 2016 11:42:15 AM

Page 3

[illegible]

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 150329

Wednesday, August 24, 2016 11:42:15 AM

150329

Page 4

Item ID: D5134-042**Accept*****N900040100*****Setup Start*****NS1*****Revision ID:****Stop*****NS2*****Item Name:** Damper Support Assembly, RH**Start Date:** 8/12/2016 **Start Qty:** 4.00***4*****Cust Item ID:****Required Date:** 8/24/2016 **Req'd Qty:** 4.00***4*****Customer:****Reference:****Approvals:****Process Plan:****Date:****Tooling:****Date:****Run Start*****NR1*****QC:****Date:****SPC (Y/N):****Date:****Stop*****NR2*****Sequence ID/
Work Center ID****Operation
Description****Set Up/
Run Hours****Tool ID****Tool #****Plan
Code****Accept
Qty****Reject
Qty****Reject
Number****Insp.
Stamp**

160

0.00

160

Small Fab

Memo

0.05

Small Fab

install bushings as per dwg

8

FF

NOV 10 2016

170

QC5- Inspect part completeness to step on W/O

0.00

170

QC

Memo

0.01

Quality Control

8

DAS
38
9-89

NOV 11 2016

180

Identify as per dwg & Stock Location

0.00

180

Packaging

Memo

0.01

Packaging

L6054

8

DAS
6
9-89

NOV 14 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 150329

Wednesday, August 24, 2016 11:42:15 AM

150329

Page 5

Item ID: D5134-042 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Damper Support Assembly, RH
Start Date: 8/12/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 8/24/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.07							
Quality Control									

DAS
21
9-89

NOV 14 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Set-up ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Picklist Print

Wednesday, August 24, 2016 11:42:15 AM

Page 1

Work Order ID: 150329

150329

Parent Item: D5134-042

D5134-042

Parent Item Name: Damper Support Assembly, RH

Start Date: 8/12/2016

Required Date: 8/24/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A NEW ISSUE 14-09-09 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T73B3.000X4.00 0		Purchased	No				f	13.6426		1.810526			

M7075T73B3 000X4 000

7075-T73 Bar 3.0 x 4.0 grain direction along 3"

DAS

33

9-89

16/09/14

Location

Loc Qty

Loc Code

MAT006

13.6426

m133512

5.0426

m134701

8.6

1.0'

2.6'

+ 1.02

NAS77C6-021

Purchased

No

Each

461.0000

8

NAS77C6-021

BUSHING

FF

NOV 10 2016

Location

Loc Qty

Loc Code

ST260

4

M133157

4

ST554

457

M134793

207

M134833

250

16

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																											
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																							
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :	
Misidentified ☐	Past Due ☐																																																														

ITEM	QTY -041	P/N	DESCRIPTION
	X	D5134-041	DAMPER BRACKET ASSY, LH
1	1	D5134-1	DAMPER SUPPORT, LH
2	2	NAS77C6-021	BUSHING



D5134-041 DAMPER SUPPORT ASSY, LH

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: PRIME AND PAINT WHITE PER DART QSI 005 4.2
MASK OFF INNER SURFACE OF BUSHING PRIOR TO APPLICATION OF PRIME/PAINT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.42 lbs
- 8) NAS77C6-021 BUSHINGS ARE PRESS FIT INTO D5134-1 DAMPER SUPPORT, IN ORIENTATION SHOWN

STOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 150329 MJS
16-08-26

RELEASED


2015 MAY 12

A.R. Ecnis-SD

B	7075-T73 MATERIAL WAS 7075-T6, MINOR DIMENSIONAL CHANGES (SHT 3 & 4)	AP	15.04.24
A	NEW ISSUE	AP	14.09.02
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	CP	DRAWING NO.	REV. B
MFG. APPR.	JLM	D5134	SHEET 1 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	DAMPER SUPPORT ASSY	NTS
DATE	15.04.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED

ITEM	QTY -042	P/N	DESCRIPTION
	X	D5134-042	DAMPER SUPPORT ASSY, RH
1	1	D5134-2	DAMPER SUPPORT, RH
2	2	NAS77C6-021	BUSHING



D5134-042 DAMPER SUPPORT ASSY, RH

RELEASED

2015 MAY 12

A.P. Ecn15-570

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: PRIME AND PAINT WHITE PER DART QSI 005 4.2
MASK OFF INNER SURFACE OF BUSHING PRIOR TO APPLICATION OF PRIME/PAINT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.42 lbs
- 8) NAS77C6-021 BUSHINGS ARE PRESS FIT INTO D5134-2 DAMPER SUPPORT, IN ORIENTATION SHOWN

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	CP	DRAWING NO.	REV. B
MFG. APPR.	JLM	D5134	SHEET 2 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	DAMPER SUPPORT ASSY	NTS
DATE	15.04.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

9 Ø0.188 TOOLING HOLE
AS REQUIRED, 2 PL

9 Ø0.257 TOOLING HOLE
AS REQUIRED, 4 PL

0.893
REF

0.36
TYP

R0.063
4 PL

1.932

DART
D5134-041

GRAIN
DIRECTION

4.671
REF

0.632
REF

Ø0.500
+0.000
-0.001
THRU

0.730

0.632

0.36
4 PL

0.100
2 PL


0.728
2 PL

R0.25
THIS EDGE ONLY


D5134-1 DAMPER SUPPORT, LH

NOTES:

- 1) MATERIAL: ALUMINUM 7075-T73 (T7351 / T73510 / T73511) BAR
PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 (AMS 4124) OR
AMS-QQ-A-250/12 (AMS 4078), REF DART SPEC M7075T73B
- 2) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART LOGO AND P/N "D5134-041" IN AREA SHOWN
USING 0.125 HIGH X 0.010-0.020 DEEP LETTERING PER DART QSI 044 6.3,
IDENTIFY WITH DART B/N PER DART QSI 044 6.1
- 7) WEIGHT: 0.38 lbs
- 8) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D5134-1-REVB.SLDPRT"
- 9) POSITION TOOLING HOLES AS REQUIRED WHILE MAINTAINING MINIMUM 2D EDGE DISTANCE AND 4D PITCH BETWEEN HOLES



SECTION A-A



RELEASED

2015 MAY 12
A.R. ECMS-570

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	CP	DRAWING NO.	REV. B
MFG. APPR.	JLM	D5134	SHEET 3 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	DAMPER SUPPORT ASSY	NTS
DATE	15.04.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

0.893
REF

B

Ø0.188 TOOLING HOLE
AS REQUIRED, 2PL

Ø0.257 TOOLING HOLE
AS REQUIRED, 4PL

0.36
TYP

R0.25
THIS EDGE ONLY

Ø0.500^{+0.000}_{-0.001}
THRU

0.100
2 PL

0.728
2 PL

4.671
REF

0.632

R0.63

1.932

0.632
REF

R0.063
4 PL

0.730


0.632

GRAIN
DIRECTION


D5134-2 DAMPER SUPPORT, RH

NOTES:

- 1) MATERIAL: ALUMINUM 7075-T73 (T7351 / T73510 / T73511) BAR
PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 (AMS 4124) OR
AMS-QQ-A-250/12 (AQMS 4078), REF DART SPEC M7075T73B
- 2) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART LOGO AND P/N "D5134-042" IN AREA SHOWN
USING 0.125 HIGH X 0.010-0.020 DEEP LETTERING PER DART QSI 044 6.3,
IDENTIFY WITH DART B/N PER DART QSI 044 6.1
- 7) WEIGHT: 0.38 lbs
- 8) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D5134-2-REVB.SLDPRT"
- 9) POSITION TOOLING HOLES AS REQUIRED WHILE MAINTAINING MINIMUM 2D EDGE DISTANCE AND 4D PITCH BETWEEN HOLES



SECTION B-B



RELEASED

2015 MAY 12
P.R. EN 15-570

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	CP	DRAWING NO.	REV. B
MFG. APPR.	JLM	D5134	SHEET 4 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DSC	DAMPER SUPPORT ASSY	NTS
DATE	15.04.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	